

Development of Various work in ward No. 03 in Moshi, Charoli & ward no.07, Bhosari.

Date:- 23/7/18

Rate Analysis for L - Shaped Cubicle Toilets

Supplying & fixing in position L - SHAPE Toilet Cubicle with standard dimension of 2025mm Height x 1000mm Width x 1550mm Depth, which includes 600mm door size width). made of heat, bacteria, water, chemical, scratch and impact resistant 12mm thick solid compact laminate panels including doors, pilasters & intermediate panels finished with approved texture/shade as per the detail drawings & as per IS 2046 (Indian Standard) and as per fire retardant BS-476/97 standard. The product should have Green Guard Certificate. This also includes providing and fixing in position necessary hardware made out of Stainless steel (Grade 304) as per manufacturer's specifications & Architects instructions like (1) Door Knob, (2) Gravity Hinges, (3) Thumb turn lockset with Occupancy indicators, (4) Coat hooks with Door stopper (5) U- Channels, (6) Adjustable foot/pedestal, (7) Top rail with Corner connector (8) Rubber noise deafening tape, (9) Screws & wall Plugs, The top fitting should consist of SS round top rail which will get fixed with pilasters, with SS panel tube holder, SS corner bend (connected with top rail) will be used on the corner of cubicle in absence of brick wall, SS wall fixing is used only on the wall which will hold the ss top rail. All screws will of 304 Grade in stainless steel with satin finish. All pilasters are supported by stainless steel Bottom Cladding. The base of the stainless steel bottom cladding will be anchored to the floor with a clearance height upto 150mm. including labours, transportation, all taxes etc. complete. *excluding G.S.T.*

Lowest Rate from Comparative Statement,
Unit Considered : 1 No.

Sr.No.	Discription	Qty.	Rate (Rs) Without GST	Unit	Amount	Remark
	Material & Labour	1	35000	No.	35000	
	Transportation Charges				NIL	
	Loading & Unloading Charges				NIL	
					NIL	
					NIL	
	Grand Total				35000	
	Rate Per No.				35000	Per No.
	Rate is proposed for Rs.				35000	Per No.



[Signature]
Junior Engineer, "E"
Ward P.C.M.C.

[Signature]
Deputy Engineer, "E" Ward
P.C.M.C.


[Signature]
Executive Engineer, "E"
Ward P.C.M.C.

Rate is approved for : Rs. 35000/- (Rupees Thirty Five Thousand Only) per No.

[Signature]
[Signature]
[Signature]


[Signature]
City Engineer, P.C.M.C.

HARDWARE DETAILING



FRONT VIEW (101)


TOP VIEW VIEW




DATE _____

The clip-on hollow rectangular channels in front hold above the false ceiling on both ends by MSU[®] angle which is fixed into the wall with 5 set of quality steel wall plug over the bolts. The rectangular steel plates are most distributed equally, taking into consideration the position of the planters, and fixed onto the hollow MSU type rail using bolts and screws.

HARDWARE DETAILING





FRONT VIEW (SELF)



TOP VIEW (FLD)


14. **ANSWER: C**

[PRINT VIEW ONLY](#)

© 2006 Blackwell Publishing Ltd

De

The adjustable foot that supports the platform is made from stainless steel (Grade 304) and its base is anchored in the floor with nylon plugs, located just in front of the stainless steel screen. Aluminum L-shaped struts are attached with the divider plate to the wall as well as the mild plate. There is a ground floor area of 120 mm. Stainless steel rail with panel ends holder is used to fix the platform in the top without encumbrance of lateral bracing and to prevent lateral movement. Stainless steel corner connectors are provided for impinging stress support in the rearward portion of L-shaped system. Further stress are incorporated with the main dividing plate to reduce the stress effect.



Notes

The image shows the front cover of a Greenbook Paper. At the top left is the Greenbook logo, which consists of the word "Greenbook" in a stylized green font. To the right of the logo, the text "OFFICE OF THE ASSISTANT TO THE PRESIDENT AND PRINCIPAL ECONOMIC ADVISER" is printed in a smaller, black, sans-serif font. Below the logo, the title "GREENBOOK PAPER NO. 1" is printed in a large, bold, black font. Underneath the title, the subtitle "THE ECONOMIC EFFECTS OF THE PROPOSED FEDERAL RESERVE'S ASSET PURCHASE PROGRAM" is printed in a smaller, black, sans-serif font. The cover is white with a thin green border. The paper is placed on a dark, textured surface.

We value leading the way through quality management practices and standards. A testimony of achieving such an excellence are the recognitions which are awarded at the national and international level. As one U.S. company to achieve GreenSource Certification, it's much less than GreenSource Certifications further substantiate that we always ensure manufacturing products which are eco-friendly and highly resistant to abrasion, etc.

Thus, GreenSource is the name you can trust, and rely on.

